Technical specs

V1371 - VENITACTYL 1371

Name:

BOX OF 100 VINYL DISPOSABLE GLOVES

Size:

6/7 - 7/8 - 8/9 - 9/10

Colour:

Transparent



Description:

Dispenser box with 100 ambidextrous gloves, powdered with cornstarch. Suitable for contact with food. Thickness: 0.125mm, AQL 1.5.

Materials:

100% vinyl (PVC).

Instructions for use:

Single use protective gloves for general use, waterproof and with a low protection against chemicals, microorganisms (bacteria, fungi), without any risk of mechanical, thermal or electrical hazard. Glove compatible with aqueous foods, acids, alcohols (content of 6 to 20%) and fats and dairy products.

Limits to use:

Do not use this glove of the scope of use defined in the instructions above. Ensure your gloves are intact before using its and replace if necessary. These gloves do not contain any substances known to be carcinogenic or toxic or likely to cause allergic reactions in sensitive persons. Warning: regulatory identification mentioned on the box in order to avoid glove performance level decrease.

Instructions for storage:

Keep in its original packing away from light and humidity.

Instructions for cleaning / maintenance:

Disposable glove, do not re-use.

Performances:

Complies with the requirements of European directive 89/686/EEC and with EN420:2003, EN388:2003 (1,0,0,0) and EN374-1:2003 standards. Tested according to EN374-2:2003 determination of penetration resistance (Level 2, AQL < 1.5) and EN374-3:2003 determination of permeation resistance (caustic soda 40%: index 6/6).

 Regulation (EC) No 1935/2004



Regulation (EC) N° 1935/2004 of the European Parliament and of the Council of 27th October 2004 on materials and articles intended to come into contact with foodstuffs.



DELTA PLUS GROUP

La Peyrolière - B.P. 140 - 84405 APT Cedex - France www.deltaplus.fr



UPDATE: 23/08/2013

Technical specs

V1371 - VENITACTYL 1371

• EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)



1 : Resistance to abrasion (from 0 to 4)

0: Resistance to cut (from 0 to 5)

0 : Resistance to tear (from 0 to 4)0 : Resistance to perforation (from 0 to 4)

• EN420:2003 General requirements

• EN374-3 :2003 Protective gloves against chemicals and micro-organisms - Part 3: Determination of resistance to permeation by chemicals



*: Gloves with low protection against chemicals, tested according to EN374-3

• EN374-2:2003 Protective gloves against chemicals and micro-organisms - Part 2: Determination of resistance to penetration



NQA < 1.5 : Resistant gloves to micro-organisms (bacteria, mushrooms), tested according to EN374-2





La Peyrolière - B.P. 140 - 84405 APT Cedex - France www.deltaplus.fr



UPDATE: 23/08/2013